450100-05166

Reply to Office Action dated September 26, 2008

## IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. An identifier indicating the status of each claim is provided.

## Listing of Claims:

(Currently Amended) An encryption apparatus, comprising:

hold means for holding a part or all input data with a trigger signal and resetting the heldheld data with a reset signal;

one or a plurality of counters that count up or count down the count count values with the trigger signal and reset the count values to predetermined values with the reset signal;

encryption means for encrypting the data held by the hold means and one or a plurality of count values of the one or plurality of counters:

calculation means for calculating the output of the encryption means and input data that are input from the outside according to a first predetermined rule, encrypting the input data, and outputting the encrypted data:data;

a path that inputs a part or all the encrypted data that are output from the calculation means to the hold means; and

signal generation means for generating the trigger signal and the reset signal supplied to the hold means and the one or plurality of counters according to a second predetermined rule and/or at predetermined timing.

(Original) The encryption apparatus as set forth in claim 1. wherein a fixed value is input to the encryption means, and

wherein the encryption means encrypts the fixed value, the data held by the hold means, and the one or plurality of count values.

(Original) The encryption apparatus as set forth in claim 1,

wherein the reset signal that resets the data held by the hold means is supplied to the hold means at timing in synchronization with the reset signal supplied to at least one of the one or plurality of counters.

4. (Original) The encryption apparatus as set forth in claim 1.

wherein the input data are picture data, and

wherein the reset signal that resets the hold means is in synchronization with the picture data.

5. (Original) The encryption apparatus as set forth in claim 4,

wherein the reset signal that resets the hold means is in synchronization with each line of the picture data.

6. (Original) The encryption apparatus as set forth in claim 1,

wherein the input data are picture data, and

wherein the reset signal that resets at least one of the one or plurality of counters is in synchronization with the picture data.

PATENT 450100-05166

U.S. Apln. No. 10/564,465 Reply to Office Action dated September 26, 2008

(Original) The encryption apparatus as set forth in claim 6.

wherein the reset signal that resets at least one of the one or plurality of counters is in synchronization with each frame of the picture data.

8. (Original) The encryption apparatus as set forth in claim 6,

wherein the reset signal that resets at least one of the one or plurality of counters is in synchronization with each line of the picture data.

(Currently Amended) An encryption method, comprising the steps of:

holding a part or all input data with a trigger signal and resetting the heldheld data with a reset sienal:

counting up or down the countcount values with the trigger signal and resetting the count values to predetermined values with the reset signal:

encrypting the data held at the hold step and one or a plurality of count values at the count step:step;

calculating the output at the encryption step and input data that are input from the outside according to a <u>first</u> predetermined rule, encrypting the input data, and outputting the encrypted data:data;

inputting a part or all the encrypted data that are output at the calculation step to the hold step; and

generating the trigger signal and the reset signal supplied to the hold step and the count step according to a second predetermined rule and/or at predetermined timing.

Frommer Lawrence & Haug LLP 745 Fifth Avenue New York, NY 10151 212-588-0800 U.S. Apln. No. 10/564,465 Reply to Office Action dated September 26, 2008 PATENT 450100-05166

(Canceled)

11. (Currently Amended) A record medium from which a computer device can read

an encryption program that causes the computer device to execute an encryption method, the

encryption methodstoring an executable program that, when executed, causes a computer to

encrypt data, the program comprising the steps of:

holding a part or all input data with a trigger signal and resetting the heldheld data with a

reset signal: signal;

counting up or down the count count values with the trigger signal and resetting the count

values to predetermined values with the reset signal: signal;

encrypting the data held at the hold step and one or a plurality of count values at the

count step:step;

calculating the output at the encryption step and input data that are input from the outside

according to a first predetermined rule, encrypting the input data, and outputting the encrypted

data:data:

inputting a part or all the encrypted data that are output at the calculation step to the hold

step; and

generating the trigger signal and the reset signal supplied to the hold step and the count

step according to a second predetermined rule and/or at predetermined timing.

12. (Currently Amended) A decryption apparatus that decrypts encrypted data

encrypted by an encryption apparatus that comprises hold means for holding a part or all input

data with a trigger signal and resetting the held data with a reset signal; one or a plurality of

Frommer Lawrence & Haug LLP 745 Fifth Avenue

00600738

U.S. Apln. No. 10/564,465 PATENT
Reply to Office Action dated September 26, 2008 450100-05166

counters that count up or count down the count values with the trigger signal and reset the count

values to predetermined values with the reset signal; encryption means for encrypting the data

held by the hold means and one or a plurality of count values of the one or plurality of counters:

calculation means for calculating the output of the encryption means and input data that are input

from the outside according to a predetermined rule, encrypting the input data, and outputting the

encrypted data: a path that inputs a part or all the encrypted data that are output from the

calculation means to the hold means; and signal generation means for generating the trigger

signal and the reset signal supplied to the hold means and the one or plurality of counters

according to a predetermined rule and/or at predetermined timing, the decryption apparatus

comprising:

hold means for holding a part or all input data with a trigger signal and resetting the

heldheld data with a reset signal: signal;

one or a plurality of counters that count up or count down the countcount values with the

trigger signal and reset the count values to predetermined values with the reset signal:

encryption means for encrypting the data held by the hold means and one or a plurality of

count values of the one or plurality of counters: counters;

calculation means for calculating the output of the encryption means and input data that

are input from the outside according to a first predetermined rule, encrypting the input data, and

outputting the encrypted data:data;

a path that inputs a part or all the encrypted data that are input from the outside to the

hold means; and

Frommer Lawrence & Haug LLP 745 Fifth Avenue New York, NY 10151

212-588-0800

-Page 8 of 18- 00600738

signal generation means for generating the trigger signal and the reset signal supplied to the hold means and the one or plurality of counters according to a second predetermined rule and/or at predetermined timing.

- 13. (Original) The decryption apparatus as set forth in claim 12, wherein a fixed value is input to the encryption means, and
- wherein the encryption means encrypts the fixed value, the data held by the hold means. and the one or plurality of count values.
- wherein the reset signal that resets the data held by the hold means is supplied to the hold means at timing in synchronization with the reset signal supplied to at least one of the one or plurality of counters.

The decryption apparatus as set forth in claim 12.

- The decryption apparatus as set forth in claim 12, wherein the encrypted data are encrypted picture data, and wherein the reset signal that resets the hold means is in synchronization with the picture data
- 16. (Original) The decryption apparatus as set forth in claim 15, wherein the reset signal that resets the hold means is in synchronization with each line of the picture data.

Frommer Lawrence & Haug LLP 745 Fifth Avenue New York, NY 10151 212-588-0800

14.

15.

(Original)

(Original)

17. (Original) The decryption apparatus as set forth in claim 12,

wherein the encrypted data are encrypted picture data, and

wherein the reset signal that resets at least one of the one or plurality of counters is in synchronization with the picture data.

(Original) The decryption apparatus as set forth in claim 17.

wherein the reset signal that resets at least one of the one or plurality of counters is in synchronization with each frame of the picture data.

(Original) The decryption apparatus as set forth in claim 17.

wherein the reset signal that resets at least one of the one or plurality of counters is in synchronization with each line of the picture data.

20. (Currently Amended) A decryption method of decrypting encrypted data encrypted in an encryption method, the encryption method comprising the steps of holding a part or all input data with a trigger signal and resetting the held data with a reset signal: counting up or down the count values with the trigger signal and resetting the count values to predetermined values with the reset signal: encrypting the data held at the hold step and one or a plurality of count values at the count step: calculating the output at the encryption step and input data that are input from the outside according to a predetermined rule, encrypting the input data, and outputting the encrypted data: inputting a part or all the encrypted data that are output at the calculation step to the hold step; and generating the trigger signal and the reset signal supplied to

Frommer Lawrence & Haug LLP 745 Fifth Avenue New York, NY 10151 212-588-0800

PATENT 450100-05166

the hold step and the count step according to a predetermined rule and/or at predetermined

timing, the decryption method comprising the steps of:

holding a part or all input data with a trigger signal and resetting the heldheld data with a reset signal:

counting up or down the count values with the trigger signal and resetting the count values to predetermined values with the reset signal;

encrypting the data held at the hold step and one or a plurality of count values at the count step:step;

calculating the output at the encryption step and input data that are input from the outside according to a <u>first</u> predetermined rule, encrypting the input data, and outputting the encrypted <u>data:data;</u>

inputting a part or all the encrypted data that are input from the outside to the hold step;

generating the trigger signal and the reset signal supplied to the hold step and the count step according to a <u>second</u> predetermined rule and/or at predetermined timing.

(Canceled)

22. (Currently Amended) A record medium from which a computer device can read a decryption program that causes the computer device to execute a decryption method of decrypting encrypted data encrypted in an encryption method, the encryption methodstoring an executable program that, when executed, causes a computer to decrypt data, the program comprising the steps of holding a part or all input data with a trigger signal and resetting the held

Frommer Lawrence & Haug LLP 745 Fifth Avenue New York, NY 10151 212-588-0800 data with a reset signal: counting up or down the count values with the trigger signal and resetting the count values to predetermined values with the reset signal: encrypting the data held at the hold step and one or a plurality of count values at the count step: calculating the output at the encryption step and input data that are input from the outside according to a predetermined rule, encrypting the input data, and outputting the encrypted data: inputting a part or all the encrypted data that are output at the calculation step to the hold step; and generating the trigger signal and the reset signal supplied to the hold step and the count step according to a predetermined rule and/or at predetermined timing, the decryption method comprising the steps of:

holding a part or all input data with a trigger signal and resetting the heldheld data with a reset signal+signal;

counting up or down the count values with the trigger signal and resetting the eountcount values to predetermined values with the reset signal;

encrypting the data held at the hold step and one or a plurality of count values at the count step:step;

calculating the output at the encryption step and input data that are input from the outside according to a <u>first</u> predetermined rule, encrypting the input data, and outputting the encrypted data:data:

inputting a part or all the encrypted data that are input from the outside to the hold step;

generating the trigger signal and the reset signal supplied to the hold step and the count step according to a second predetermined rule and/or at predetermined timing.